



C5255/C5250 C5240/C5235

Office Solutions multifunction printer compact design color/black and white



Simply advanced.



C5255/C5250 C5240/C5235

Designed for

Busy workgroups that demand outstanding efficiency

5

4

Standard Features

Copy/Print/Send/Store

Color/Black and White

Print up to 55 ppm (BW), 51 ppm (Color); Letter

Up to 12" x 18"

5,000-sheet maximum capacity

Scan up to 120/120 ipm single-pass duplex*

Flexible in-line finishing options

Scan directly to Microsoft[®] Word, PowerPoint[®], and Searchable PDF formats

Hard Disk Drive Lock and Erase, IPsec

*Single-pass duplex available only on the imageRUNNER ADVANCE C5255/C5250 models.

Simply advanced.

The imageRUNNER ADVANCE C5200 Series transforms workflow from a series of individual processes to an integrated flow of shared information. A beautifully compact communications hub, this Series can drive your organization to new levels of performance and productivity. From every point of view, these models are simply advanced.



People-Centric

An exceptionally intuitive, simple-to-use interface puts access to all functions right at your fingertips, whether at the device or at your desktop.



Mobile

Even on the go, you're in control. Print from a laptop, tablet, or smartphone to an imageRUNNER ADVANCE system.



Cloud-Enabled

A touch of a button on the user interface lets you access, scan to, or print directly from, certain cloud applications.



Brilliant

Get noticed with high-impact color or crisp black-and-white output, all delivered with amazing speed.



Connected

Advanced technology and expansive enterprise applications work seamlessly with your device to deliver exceptional results.



Security

Multilayered solutions safeguard confidential information and support security compliance with certain options.



Simple to use. Very people-centric.

The imageRUNNER ADVANCE C5200 Series helps each user accomplish every task with outstanding ease. A center of extraordinary productivity, these models are simple to personalize, creating a truly customized way to work.





Two menus

Press the Main Menu key for instant access to business-ready functions. Use the Quick Menu to power productivity by combining and accessing routine tasks at the touch of a button.



Customizable

Organize the on-screen buttons to fit the way you work by determining their number, size, and layout. Display your own logo or special graphic as a screen background—even export your chosen background to other devices.



Web-ready

The optional Web browser lets you go online directly from the device control panel. Just enter a URL to browse pages. Easily output online PDFs.



Handy tutorials

Quickly access simple step-by-step instructions right on the user interface.



ADF Light



USB Keyboard



Easy Toner Access



One-button Paper Access

Designed for ease

Thoughtful details such as a light under the automatic document feeder* and an optional USB keyboard allow you to work more comfortably. Toner bottles can be replaced with minimal effort, and paper drawers spring open at the touch of a button.



Engineered for adaptability

These intelligent systems help you achieve your goals now and in the future. With the ability to smoothly integrate hardware and software solutions, the imageRUNNER ADVANCE C5200 Series lets you personalize applications to meet your organization's changing needs. And it's highly flexible, so you can easily add to, or update, your system with the quick deployment of settings and applications across your enterprise.





Walk-up convenience

Easily scan to, or print from, a USB thumb drive. Expand connectivity options to include memory media, such as an SD card or CompactFlash card. Even browse folders and rename files.



A consistent experience

No matter which imageRUNNER ADVANCE device you use, you'll enjoy a consistent, simple-to-use experience, as all models in the Series use the same interface and print driver.



A powerful digital communications center, the imageRUNNER ADVANCE C5200 Series integrates enterprise applications, connects to the cloud, and gives you the freedom to work from wherever you are, efficiently and easily.



On the go

In an increasingly mobile world, people need the ability to work remotely while maintaining their productivity. Now Canon delivers advanced solutions that keep work flowing effortlessly from wherever you are.



Mobile devices

Print from, and scan to, your laptop, iPad® or Android™ tablet, and iPhone®, Android, or BlackBerry® smartphone. Access an imageRUNNER ADVANCE device to retrieve your job.



Cloud portal

Gain quick access to certain cloud-based applications right from your imageRUNNER ADVANCE device. Access or send documents directly from the cloud.



Advanced Anywhere Print

This serverless solution lets you print to a connected imageRUNNER ADVANCE system, then conveniently and securely log-in at any supported device on the network to view and retrieve your print job.

Extensive Print Solutions

Print Options

Canon's proprietary UFR II print technology is standard with these models. Options including Adobe[®] PostScript[®] 3[™] and PCL 5c/6 are also supported.

Job and Color

Management Tools Enhance print productivity for multiuser, color-intensive environments with Canon's imagePASS and ColorPASS* print controllers.

Control

Canon's Driver Configuration Tool allows you to set specific defaults and custom profiles.

You can control costs and enhance security by implementing features such as allowing only black-and-white and/or secured printing.

* Available only on the imageRUNNER ADVANCE C5255.



Easy collaboration



Scan and store documents

Designed to streamline workflow, these models let you easily save, store, and access scanned documents from multiple locations. Store in built-in spaces such as Mail Box and Advanced Box, or external spaces such as memory media or another networked location.



Distribute documents

Distribute scanned documents to multiple destinations, such as e-mail and fax addresses and network folders all in a single step. Now you can scan and convert documents directly into Microsoft[®] Word, Microsoft PowerPoint[®], or Searchable PDF format. Universal Send supports an expanded range of file formats, including High Compression PDF/XPS, Adobe PDF Reader Extensions, PDF/a, and Encrypted PDF.



Fax documents

These models support up to four fax lines and the ability to share the fax function of another networked imageRUNNER ADVANCE model. The Job Forwarding feature routes incoming faxes to other systems, users, or destinations, including the Advanced Box file-sharing space.



Single-step operation

Transform time-consuming, multistep tasks into a simple, single-step operation. Use Workflow Composer to create all-in-one buttons that can be registered in the Quick Menu. Scan and distribute documents with the touch of one button.



Right from your PC

Enjoy even greater control and convenience right from your PC. Use the new imageRUNNER ADVANCE Quick Printing Tool to print, fax, preview, and convert files to PDFs, as well as monitor the status of your system—all without even opening an application. imageRUNNER ADVANCE Desktop lets you manage and prepare documents, combine multiple formats, preview files, and select the finishing functions.

Integrate your imaging with enterprise applications

Canon's Enterprise Imaging Platform middleware technology effortlessly links enterprise applications, such as Oracle® and SAP®, with Customer Relationship Management (CRM) systems like Salesforce.com®, ECM systems, and many others. The streamlined workflow automates complex business processes and offers easy access to information, saving both time and money.



Robust security. Centralized management.

In today's networked world, you need greater control over your resources and data. The imageRUNNER ADVANCE C5200 Series delivers just that with the ability to configure a system, safeguard information, and track resources, right at your fingertips.



Powerful command

Canon's device management tools keep you in charge at every step, right from your desktop or through the cloud. Easily install and replace devices, migrate settings and data to new ones, and distribute applications and settings across your network. The intuitive Remote User Interface lets you monitor a single device, while imageWARE Enterprise Management Console lets you track the activity of an entire fleet. Even receive automated notifications when supplies are low or service is needed.



Safeguard data

From installation to retirement, this Series offers multilayered solutions to help safeguard information and support security compliance. HDD Erase, a standard feature, removes latent images after each task to help safeguard your information during use and at end of life. A security chip with tamper-resistant hardware helps protect passwords and encryption keys. IPsec provides security for data as it traverses the network.

B Guglen 201122 558% E Ringran P182P 110% Task 007901100%

Maximize resources

These systems offer advanced tools to help you track, manage, and influence user behavior. Solutions such as uniFLOW analyze color output, encourage double-sided printing, and allocate costs by department, project, or client. Route jobs to the most cost-effective device, and get alerts when supplies are low.



Secure authentication

With the need to keep data secure, busy workgroups will appreciate the Canon imageRUNNER ADVANCE Series' serverless print environment. Users can print from anywhere within the network to any connected device via log-in authentication. This helps prevent printed documents from being left unattended.

Security Features

Document Security

- Document Scan Lock and Tracking Adobe® LiveCycle® Rights Management
- ES2.5 Integration
- Encrypted Secured Print
- Watermark/Secure Watermark
- Copy Set Numbering
- Encrypted PDF
- Digital Signature PDF
- Fax Forwarding
- Fax Destination Confirmation

Mail Server Security

- POP Authentication before SMTP
- SMTP Authentication

Network Security

- IP/MAC Address Filtering
- Port Filtering
- SSL Encryption
- Network Application On/Off
- USB Port On/Off
- Destination Restriction
- IPsec
- IEEE802.1X (Wire/Wireless)

Device Security

• IEEE2600.1 Certification

Data Security

- HDD Lock
- Trusted Platform Module
- HDD Data Erase and Initialize • HDD Data Erase Scheduler
- HDD Encryption Advanced Box Security
- Mail Box Password Protection
- Job Log Conceal
- Logging/Auditing Security
- imageWARE Secure Audit Manager Express

Authentication

- Department ID/Control Card Systems
- Device Level Log-in (SSO-H)
- Access Management System (AMS)
- Authorized Send
- Universal Login Manager
- Note: Some features may be optional

Standout quality. Outstanding reliability.

Accomplish multiple tasks with impressive speed, produce professional-quality documents, and seamlessly link to business applications—all with performance you can count on.



Make a great impression

Produce professional-quality presentations, reports, and newsletters in-house. Canon's state-of-the-art imaging technology and toner ensure that image quality is stunning. You can easily generate accurate, highimpact color or crisp black-and-white results on demand. Canon's proprietary ZIMA chip technology offers superb, high-quality copies. And with flexible finishing capabilities, you'll be ready for every opportunity.



Lots of uptime

Canon incorporates its signature reliability into every imageRUNNER ADVANCE Series model. Status notifications keep you ahead of the game, and toner can even be replaced on the fly. If the correct paper for a job is unavailable, the system begins the next job without delay. And with access to the latest technology and simple, clear upgrades, you can power through your tasks, giving you more time to devote to other business areas.



Powerful operation

Accomplish multiple tasks concurrently with the speed your work demands. These models have two dedicated processors that work together to accomplish multiple tasks simultaneously. And Quick Startup mode minimizes start-up time, so devices start up promptly to keep you working with outstanding efficiency.



Targeted, integrated solutions

With its brilliant architecture, the imageRUNNER ADVANCE C5200 Series offers true personalization, allowing you to gather, organize, and disseminate information to meet your unique challenges. Canon's innovative MEAP® platform lets you develop custom solutions to meet specific workflow needs. And new levels of connector and link support enhance communication with existing systems as well as those you may acquire in the future.

Strong commitment. Eco-conscious solutions.

It's all about a brighter, greener future. The imageRUNNER ADVANCE C5200 Series incorporates innovative, eco-conscious solutions that keep your business operating efficiently while helping to reduce your environmental footprint.



A responsible way to work

Canon knows that the world and the workplace need a greener workflow. The imageRUNNER ADVANCE C5200 Series, registered in EPEAT®, delivers just that. Now organizations can seamlessly share and distribute digital documents and preview files to make changes prior to printing, helping to reduce the use of paper and toner. Print drivers are automatically set for duplex, encouraging two-sided printing to reduce waste. And with Secure Print, documents are sent to a device but aren't printed until a password is entered, contributing to a reduction in paper waste.



Eco-conscious design

Canon is making a difference through creative, ecological thinking. These imageRUNNER ADVANCE models employ certain components that are made with recycled plastic from retired products. And, Canon's innovative green technologies also include bio-based plastic, a plantderived compound that replaces certain petroleum-based plastic parts.



A clear strategy

Greater energy efficiency

From the inside out, the imageRUNNER ADVANCE C5200 Series is designed for high-energy efficiency and stellar performance. The combination of our fusing technologies and pQ toner helps lower overall energy consumption by minimizing power requirements and reducing energy use during warm-up and standby. With advanced technologies present in each model, the Series meets ENERGY STAR[®] standards.





All suppliers are required to meet Canon's stringent Green Procurement policy and environmental terms. This helps Canon exceed the toughest global standards set by the EU RoHS Directive, which restrict the use of certain hazardous substances.



Reduction of CO₂ emissions

Through its Life Cycle Assessment (LCA) System, Canon has lowered CO₂ emissions by focusing on each stage of the product life cycle, including manufacturing, energy use, and logistics.

These products are designed to be the smallest and lightest in their class, with less packaging, to make transportation more efficient.

Customized for your work environment

Finishing Options



A Booklet Finisher-J1

- 2-tray, 3,000-sheet capacity
- Corner and double stapling up to 50 sheets
- Booklet-making up to 16 sheets

Α

В



- Inner Finisher-E1 • 500-sheet capacity* • Corner and double stapling up to 50 sheets
- External 2/3-Hole
 Puncher-B2**
 2- and 3-hole punching



Staple Finisher-J1 • 2-tray, 3,000-sheet capacity • Corner and double stapling

up to 50 sheets Other Finishing Options

Inner 2-way Tray-F1 Copy Tray-J1 Inner Finisher Additional Tray-A1

Printer Options***

PCL Printer Kit-AR1

PS Printer Kit-AR1

Direct Print Kit (for PDF/XPS)-H1

imagePASS-B2

- Intel[®] Pentium Dual Core[™] E5300
 2.6GHz Processor
- 2GB RAM standard
- 160GB Hard Disk
- Adobe PS 3/PCL 5c/ PCL 6

ColorPASS-GX400⁺



- Intel[®] Core[™] i5 660
 3.33GHz Processor
- 2GB RAM standard
- 500GB Hard Disk
- Adobe PS 3/PCL 5c/PCL 6

Security Options

Universal Send Security Feature Set-D1 Universal Send Digital User Signature Kit-C1 Encrypted Secure Print-D1 Secure Watermark-B1 Document Scan Lock Kit-B1 HDD Data Erase Scheduler HDD Data Encryption and Mirroring Kit-C1 Removable HDD Kit-AC1

Accessibility Options

Remote Operators' Software Kit-B1 Voice Operation Kit-C2 Voice Guidance Kit-F2 Braille Label Kit ADF Access Handle-A1

* 300-sheet capacity when Additional Tray-A1 is attached.

- ** External 2/3-Hole Puncher-B2 can only be installed with
- either the Staple Finisher-J1 or Booklet Finisher-J1. *** UFR II standard.
- + Available on imageRUNNER ADVANCE C5255 only.

Note: For additional options and specifications, please refer to the back page.

Paper Deck

Unit-B2

• 2,700-sheet capacity

• 14 lb. Bond to 28 lb. Bond

• Supports letter-sized paper

Paper Feeding Options

Cassette Feeding Unit-AD2

- 550-sheet x 2-cassette capacity
- 14 lb. Bond to 80 lb. Cover
- Supports up to 12" x 18"



Envelope Feeder Attachment-D1

50-sheet capacity
Supports COM10 No.10, Monarch, DL, ISO-B5, ISO-C5

Other Paper Feeding Options Tab Feeding Attachment Kit-B1 Cabinet Type-B1

Fax Specifications

Maximum Number of Connection Lines: 4

33.6 Kbps

14.4 Kbps

Store Specifications

Mail Box (Number supported) 100 User Inboxes, 1 Memory RX Inbox, 50 Confidential Fax Inboxes

Compression Method: MH, MR, MMR, JBIG

Sending/Recording Size: Statement to 11" x 17"

Approx, 15GB (Standard HDD).

Windows® (Windows 2000/XP/Windows Vista®/7/8)

SD, SDHC, CompactFlash, Memory Stick, Microdrive

Approx, 629GB (1TB HDD)

Department ID Management, Single Sign On-H, Access

SMB or WebDAV

USB Memory

Security Specifications

TIFF, JPEG, PDF, PDF (Compact), PDF (Searchable), PDF (Apply Policy), PDF (Optimize for Web),

PDF/XPS (OCR), PDF/A-1b, XPS, XPS (Compact),

PDF (Trace & Smooth), PDF (Encrypted), PDF/XPS

(Digital Signature), PDF (Reader Extensions)

OOXML (OCR) (.pptx and .docx)

File Format

Standard:

Optional:

Modem Speed

Advanced Box

Communication

Memory Media

Available

Protocol:

Supported

Client PC:

Standard: Optional:

Standard

Disk Space:

Super G3:

G3:

Main Unit

Operation Panel: 8.4" SVGA Full-Color TFT Screen

Memory

Maximum[.]

2GB RAM Standard:

2 5GB RAM Maximum:

Hard Disk Drive Standard: 160GB

1TB Network Interface Connection

Standard:	IOOOBase-I/IOOBase-IX/IOBase-I
Optional:	Wireless LAN (IEEE 802.1x via third-party adapter)

Other Interface

Standard:	USB 2.0 (Host) x 2, USB 2.0 (Device)
	Device Port [USB 2.0 (Host) x 2], Serial Interface
	Copy Control Interface

Copy/Print Speed (BW/Color, Letter)

C5255:	Up to 55/51 ppm
C5250:	Up to 50/45 ppm
C5240:	Up to 40/35 ppm
C5235:	Up to 35/30 ppm

First-Copy-Out Time (Letter)

C5255/C5250: As fast as 3.9 Sec. (B/W) and 6.0 Sec. (Color) C5240/C5235: As fast as 5.4 Sec. (B/W) and 8.1 Sec. (Color)

Paper Sources (20 lb. Bond)

•	
Standard:	Dual 550-sheet Paper Cassettes,
	100-sheet Stack Bypass

5.000 Sheets Maximum:

Output Paper Capacity (20 lb. Bond)

Maximum:	3,250 Sheets	(w/Staple	Finisher	or	Booklet	Finisher)

Output Paper Sizes

output i upei	51205
Cassettes:	12" x 18",* 11" x 17",* Legal, Letter, Letter-R, Statement-R, Executive, Custom Size (5-1/2" x 7-1/8" to 12" x 18")
Bypass:	12" x 18", 11" x 17", Legal, Letter, Letter-R, Statement, Statement-R, Executive, Custom Size (3-7/8" x 5-1/2" to 12-5/8" x 18")
Paper Deck:	Letter
Other Options:	Envelope Feeder Attachment (COM10 No.10, Monarch, DL, ISO-C5),** Tab Feeding Attachment Kit

Acceptable Paper Weights

Cassettes:	14 lb. Bond to 80 lb. Cover (52 to 220 g/m ²)
Bypass:	14 lb. Bond to 140 lb. Index (52 to 256 g/m²) $$

Warm-up Time

C5255/C5250:	From Power On: 31 Seconds, From Sleep: 18 Seconds Quick Startup Mode: 7 Seconds***
C5240/C5235:	From Power On: 31 Seconds, From Sleep: 15 Seconds Quick Startup Mode: 7 Seconds***

Power Requirements/Plug

C5255/C5250: 120V AC. 60Hz. 20A/NEMA 5-20P C5240/C5235: 120V AC, 60Hz, 15A/NEMA 5-15P

Dimensions (H x W x D)

C5255/C5250: 37-3/8" x 24-3/8" x 28-1/8" (950mm x 620mm x 715mm) C5240/C5235: 36-5/8" x 24-3/8" x 28" (931mm x 620mm x 712mm)

Installation Space (W x D)

C5255/C5250: 33-1/2" x 28-1/8" (850mm x 715mm) C5240/C5235: 33-1/2" x 28" (850mm x 712mm)

Weight

C5255/C5250: Approx. 346 lb. (157kg)+ C5240/C5235: Approx. 333 lb. (151kg)*

Toner (Estimated Yield @ 5% Coverage) C5255/C5250: Black: 44,000 Images, Color (C,M,Y): 38,000 Images C5240/C5235: Black: 36.000 Images. Color (C.M.Y): 27.000 Images

Document Feeder

Scan Method

C5255/C5250: Single-Pass Duplexing, Automatic Document Feeder C5240/C5235: Duplex Automatic Document Feeder

Acceptable Originals

Paper Size: 11" x 17", Legal, Letter, Letter-R, Statement, or Statement-R

Scan Speed (BW/Color: Letter)

eeun epeeu (D	
C5255/C5250:	Simplex: Up to 75/75 ipm (300 dpi)/
	Up to 75/51 ipm (600 dpi)
	Duplex: Up to 120/120 ipm (300 dpi)/
	Up to 75/51 ipm (600 dpi)
C5240/C5235:	Simplex: Up to 51/51 ipm (300 dpi)/
	Up to 46/46 ipm (600 dpi)/
	Duplex: Up to 19.6/19.6 ipm (300 dpi)/

Up to 17.5/17.5 ipm (600 dpi) Paper Capacity (20 lb. Bond)

C5255/C5250: 150 Sheets

C5240/C5235: 100 Sheets

Print Specifications

Engine Resolution: 1200 x 1200 dpi PDL Support Standard: UFR II Optional:

2008 R2/SBS 2011/2012), Windows Terminal Servers, Microsoft Clustering Server, Citrix, Macintosh[®] (OS X 10.5.8 or later, UFR II

Direct Print Support

PDF, XPS⁺⁺, EPS⁺⁺⁺ Optional:

Universal Send Specifications

Sending Method

E-Mail, I-Fax, File Server (FTP, SMB, WebDAV), Mail Box, Super G3 Fax (Opt.)

Communication Protocol

File: E-mail/I-Fax: SMTP, POP3, I-FAX (Simple, Full)

1-800-OK-CANON www.usa.canon.com

Canon U.S.A., Inc. One Canon Park Melville, NY 11747



FTP (TCP/IP), SMB (TCP/IP), WebDAV



Management System (Device and Function Level Log-in), Secured Print, Trusted Platform Module, User Access Control

of Advanced Box, Mail Box Password Protection, IPV6, Restricting Features (Restricting the Send Function, Restricting New Addresses on Address Book), SSL Encrypted Communication, SNMPv1/v3, MAC/IP Address Port Filtering, SMTP Authentication, POP Authentication before SMTP, HDD Initialize (Up to 9x), HDD Erase (Up to 3x), HDD Lock, IPSec, Adobe LiveCycle® Rights Management ES2.5 Integration

* Not available on top cassette.

- ** Can be set to Cassette 2 only. Can not install Envelope Feeder Attachment and Tab Feeding Attachment at same time.
- *** If "Quick Startup Settings for Main Power" is set to ON, it takes seven seconds until the key operation on the touch-panel display is available after turning on the main power
- [†] Includes consumables.

⁺⁺ XPS cannot be printed directly from Web Access Software

*** EPS can be printed directly only from Remote User Interface

NOTE: Some accessories require additional equipment or may be prerequisites for other options. Some accessories cannot be installed simultaneously. Check with your Canon Authorized Dealer for details.

PCL 5c, PCL 6, Adobe PS 3

Print Driver Supported OS

UFR II, PCL 5c/6, Adobe PS 3:

Windows® (XP/Windows Vista®/7/8), Windows Server (2003/2008/ and PS 3 only), VMware, SAP (PS and PCL Only)

Standard: TIFF. JPEG

0169W980

recognized certification body. ENERGY STAR and the ENERGY STAR mark are registered U.S. marks, CANON, IMAGERUNNER, MEAP, and the GENUINE logo are registered trademarks of Canon Inc. in the United States and may also be registered trademarks or trademarks in other countries. IMAGEWARE is a registered trademark of Canon U.S.A., Inc. in the United States and is a trademark of Canon Inc. in certain other countries. All other referenced product names and marks are trademarks of their respective owners and hereby acknowledged. Specifications and availability subject to change without notice. Products are not manufactured for outdoor use; depiction of such is for artistic purposes only. Products shown with optional accessories. Additional information on software requirements and compatibility is available at usa.canon.com. All printer output images are simulated. Canon U.S.A. does not provide legal counsel or regulatory compliance consultancy, including without limitations, Sarbanes-Oxley, HIPAA, GLBA, Check 21 or the USA Patriot Act. Each customer must have its own qualified counsel determine the advisability of a particular solution as it relates to regulatory and statutory compliance. ©2013 Canon U.S.A., Inc. All rights reserved.

Federal Law prohibits copying of certain documents. Violators may be subject to penalties. We suggest that you check with your own legal counsel. Canon U.S.A., Inc. and Canon Canada, Inc. intend to cooperate with Law Enforcement Agencies in connection with claims of unauthorized copying.

As an ENERGY STAR® Partner, Canon U.S.A., Inc. has qualified these models as meeting the ENERGY STAR energy efficiency criteria through an EPA

